

操作指南： 将页面转换为灰度



Item Description	Item Number	Quantity	Price
Classic Ultimate Spatula Set, Red	250677	5 pc	\$50
Classic Ultimate Spatula Set, Blue	250661	5 pc	\$50
Classic Ultimate Spatula Set, Green	250714	5 pc	\$50
Classic Ultimate Spatula Set, Orange	250798	5 pc	\$50
Classic Ultimate Spatula Set, White	250846	5 pc	\$50
Classic Ultimate Spatula Set, Black	250637	5 pc	\$50
Classic Ultimate Spatula Set, Gray	250622	5 pc	\$50
Classic Ultimate Spatula Set, Pink	250753	5 pc	\$50
Stainless-Steel Ultimate Spatula Set, Red	250623	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, Blue	250675	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, Green	250705	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, Orange	250715	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, White	250830	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, Black	250629	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, Gray	250658	4 pc	\$40
Stainless-Steel Ultimate Spatula Set, Pink	250865	4 pc	\$40
Silicone Spatula With Classic Wood Handle, Red	250845	1 pc	\$10
Silicone Spatula With Classic Wood Handle, Blue	250861	1 pc	\$10

操作指南：将页面转换为灰度

功能概述

使用 Fiery® Compose 和 Fiery® JobMaster 中的“转换为灰度”功能，操作员可以在排版调整阶段轻松指定任何页面或印张进行黑白打印，从而节省点击成本。

目标

- 将页面转换为灰度


其他资源

有关其他软件的下载、培训资源和更多信息，请前往 [Fiery 联机资源](#)。

开始之前

- 打开 Fiery Command WorkStation® 6 或更高版本，并连接至少一台运行 Fiery FS300/FS300 Pro 的 Fiery 服务器。
- 在运行 Command WorkStation 的计算机上激活 Fiery JobMaster 或 Fiery Compose 许可证。
 - 对于支持的打印机的更新列表，请访问 www.efi.com/fieryjobmaster。
- 若要申请 Fiery JobMaster 30 天免费试用，请前往：
<http://fiery.efi.com/jobmaster/freetrial30>。
- 将文件 **MnM_Catalog_SAMPLE_LTR.pdf** 或 **MnM_Catalog_SAMPLE_A4.pdf** 放入 Fiery 服务器“保留”队列。将文件拖放到 Command WorkStation“保留”列表中，或使用 Command WorkStation“导入”菜单项。
- 确保打印机和 Fiery 服务器已在打印任何输出前校准。

操作指南：将页面转换为灰度



将页面转换为灰度

1. 在“保留”列表中选择 **MnM_Catalog_SAMPLE_LTR.pdf** 或 **MnM_Catalog_SAMPLE_A4.pdf** 文件。然后右键单击并选择 **JobMaster** 或 **Compose**。
2. 在 JobMaster 或 Compose 窗口，右键单击并选择**全选**，选择“页面视图”或“印张视图”窗格中的所有页面。或单击**编辑 > 全选**。
3. 按住 **Ctrl** 或 **Command** 键并取消选择页面 **1、2、17、32、47、62** 和 **78**。
4. 右键单击突出显示的页面，并选择**转换为灰度**。或单击**操作 > 转换为灰度**。
5. 这样可更新“印张视图”窗格中的页面，显示哪些印张为彩色打印，哪些为灰度打印。


转换为灰度在“页面视图”或“印张视图”面板中均可访问。用户可以在页面视图或印张视图中选择转换。在一合一文档中，结果相同。但是，如果在印张上放置 1 个以上页面，则转换印张将会转换该印张上的页面。如果转换选定页面或印张表面，更改会反映在“印张视图”面板中。

如果使用 Fiery Impose 将页面转换为灰度，则灰度设定不保存在 Fiery Impose 模板中。

6. 在 JobMaster 的“作业摘要”界面中，您将会看到新的条目**转换为灰度**，其中是表示转换页面的数量，否表示非转换页面为灰度。
7. 单击**文件 > 保存**。
8. 保存为常规作业，并单击**确定**。
9. 单击**文件 > 退出**以关闭 JobMaster。或单击拐角红色的 **X**。

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalized documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 650-357-3500 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DockNet, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, FabriVU, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, InkIntensity, Inkware, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pecas, Pecas Vision, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.