

efi REGGIANI IRIS

*Water-Based Disperse Sublimation Inks
for Digital Textile Printing*

Intensify the beauty of your textiles
with our water-based ink technology



IRIS's water-based inks print brilliantly with EFI Reggiani digital printers

Extended colour gamut and high chroma guarantee stunning results to your digital textile printing. Plus, they're dual-use inks that perform astonishingly well whether used in sublimation or direct printing.

These eco-friendly water-based inks are designed to leverage EFI™ Reggiani Digital Printers' performance. And like all of our inks, they've been designed for the Kyocera printhead technology, which ensures an extraordinary level of print durability, longer life of printheads and reduced maintenance costs.




Integrated solution

- Strongest worldwide experience and knowledge
- Full technological support provided by EFI Reggiani
- Continuous quality control
- 12-month warranty on the printheads provided by EFI Reggiani

Full technological support provided by EFI Reggiani

- **Substrates**
 - Polyester and elastomer fabrics (lycra)
- **Printhead compatibility**
 - Kyocera KJ4B
- **Jetting temperature**
 - 32°C
- **Recommended RH**
 - 50%–60%
- **Shelf life**
 - 12 months if stored under recommended conditions
- **Environmental conditions**
 - Keep product away from light and heat sources at temperature lower than 25°C

EFI Reggiani IRIS inks are available in the following colours



Application

- Great performance for sublimation as well as direct-to-fabric printing for different applications such as fashion, sportswear, home-textile, and accessories

Procedure

- Transfer printing: the printed paper must be transferred hot, through calender or press, at a temperature ranging from 200-210°C, for 30 to 60 seconds
- Direct printing onto the fabric, followed by colour drying and fixing (through heat press or calender) at a temperature ranging from 190-210°C, for 30-60 seconds. Direct printing allows a better penetration of the ink during the heat-fixing process

Fastness Properties IRIS Direct

*Certified by Centro Tessile Serico Spa Consortile, Como, Italy

Test	DRY Rubbing ISO 105-X12	WET Rubbing ISO 105-X12	Artificial Light 100% ISO 105-B02	Chlorine water ISO 105-E03	Dom&Com Launder 60°C ISO 105-C06	Acid Perspiration ISO 105-E04	Alkaline Perspiration ISO 105-E04	Water ISO 105-E01
Black	4	4	4-5	4-5	4-5	4-5	4-5	4-5
Cyan	4-5	4-5	4-5	4-5	4	4-5	4-5	4-5
Magenta	4-5	4	6-7	4-5	4	4-5	4-5	4-5
Yellow	5	5	6-7	4-5	4-5	4-5	4-5	4-5
Orange	4-5	4-5	4-5	4-5	4	4-5	4-5	4-5
Blue	4	4	4-5	4	4	4-5	4-5	4-5
Light Magenta	5	5	6-7	4-5	4-5	4-5	4-5	4-5
Light Black	5	5	3-4	4	4-5	4-5	4-5	4-5

Fastness Properties IRIS Transfer

*Certified by Centro Tessile Serico Spa Consortile, Como, Italy

Test	DRY Rubbing ISO 105-X12	WET Rubbing ISO 105-X12	Artificial Light 100% ISO 105-B02	Chlorine water ISO 105-E03	Dom&Com Launder 60°C ISO 105-C06	Acid Perspiration ISO 105-E04	Alkaline Perspiration ISO 105-E04	Water ISO 105-E01
Black	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Cyan	5	5	4	4	4	4-5	4-5	4-5
Magenta	5	5	6-7	4-5	4-5	4-5	4-5	4-5
Yellow	5	5	6-7	4-5	4-5	4-5	4-5	4-5
Orange	4-5	4-5	5	4-5	4-5	4-5	4-5	4-5
Blue	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5
Light Magenta	5	5	6-7	4-5	4-5	4-5	4-5	4-5
Light Cyan	5	5	4-5	4-5	4-5	4-5	4-5	4-5
Light Black	5	5	3-4	4-5	4-5	4-5	4-5	4-5
Fluo Magenta	5	5	5-6	4-5	4-5	4-5	4-5	4-5
Fluo Yellow	4	4	4	4-5	4-5	4-5	4-5	4-5

Please note that ink performances can vary according to the type substrate used in the final application.

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalised documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity.

Visit www.efi.com/reggiani or call +39 035 3844511 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DocBuilder, DocBuilder Pro, DockNet, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, FabriVU, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inkintensity, Inkware, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pegasus, Pegasus Vision, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.