



Canon imagePRESS Server M10
Fiery FS350

Get amazing output and offer new services

The Canon imagePRESS Server M10 for the Canon imagePRESS C165 delivers outstanding colour and variable data printing capability.

Get outstanding colour every time

Fiery Edge™ - EFI's next generation colour profiling technology inside the imagePRESS M10 Server - produces outstanding print quality. Out-of-the-box, Fiery Edge delivers stunning colour with the smoothest colour blends, maximum shadow details, and superb image definition. Use Fiery Color Profiler Suite to take advantage of the extensive user controls in Fiery Edge technology to produce the most saturated, colourful, and dynamic looking prints.

Accurately reproduce brand colours with Fiery Spot-On to ensure consistency among all printed documents.

Turn up the impact with variable information

Increase impact with personalisation using the leading Fiery VDP technology and powerful makeready capabilities. Create personalised print products using the free easy-to-use Fiery FreeForm™ Create application.

Simplify and streamline your workflow

Make last-minute image corrections, and use advanced queue management to assign print priorities with the features included in the optional Fiery Productivity Package.



Canon imagePRESS M10 specifications

Fiery Driven™ engines

- Canon imagePRESS C165
- Supports engine finishing devices

Hardware and platform

- Intel® Pentium® Processor G4400, 3.3 GHz
- 4 GB RAM
- 500 GB SATA HDD
- Linux operating system
- Fiery Installer Builder
- Fiery FS350 software

File format support

- Adobe® PostScript® Levels 1, 2, 3
- Adobe PDF
- Encapsulated PostScript (EPS)
- MS Office document formats: DOC, DOCX, XLS, XLSX, PPT, PPTX, PPS, PPSX, and PUB (via Hot Folders)

Fiery colour and imaging technology

- Fiery ColorWise® colour management technology
- Fiery Edge colour profiles
- Fiery Calibrator
- PANTONE® colour enabled
- Image smoothing
- Fiery Spot-On™
- Image Enhance
- Fiery Image Enhance Visual Editor (via optional Productivity Package)
- Auto trapping

Productivity and workflow

- Fiery Command WorkStation®
- Fiery drivers for Windows and Mac®
- Fiery WebTools™
- Booklet Maker
- Fiery Hot Folders/Virtual Printers
- Fiery JobFlow™ Base (via optional Productivity Package)
- Fiery VUE
- Direct mobile printing
- Fiery Go (Android® and iOS)

Performance

- SmartRIP
- Spool-RIP-print simultaneously
- Scan-RIP-print simultaneously

Variable data printing

- Fiery FreeForm Create application
- Record and set level finishing support
- VDP record range printing
- Optimized PostScript® and PDF
- Define record length
- VDP raster preview
- VDP Resource Manager

JDF/JMF support

- Fiery JDF v1.6 IDP-ICS certified (via optional Productivity Package)
- EFI MIS and Web-to-Print integration ready
- Prepress workflow integration (Agfa® Apogee, Kodak® PRINERGY, Heidelberg® Prinect)

Adobe interpreter support

- CPSI version 3020

Optional Fiery software and hardware

- Fiery Productivity Package
 - Fiery ImageViewer
 - PostFlight
 - Paper Simulation (w/ white point editing)
 - Configurable Auto Trapping
 - Graphic Arts Filters for Hot Folders
 - Control Bar
 - Fiery Image Enhance Visual Editor
 - Rush Print
 - Schedule Printing
 - Print and Process Next
 - Fiery JDF
 - Fiery JobFlow™ Base
- Fiery Impose*
- Fiery Compose
- Fiery Impose-Compose
- Fiery Color Profiler Suite**

Security

- Secure erase
- Network protection includes:
 - 802.1x support, IP filtering, port blocking (filtering), SSL support (TLS), certificate management, self-signed certification
- Secure printing

Networking/Connectivity

- TCP/IP, AppleTalk, Bonjour support, SNMP, Port 9100, IPP, FTP, SMB, WSD, point and print, print via email (PS/PDF), IPv6 support

EMC

- FCC and ICES (US and Canada)
- RCM (Australia and New Zealand)
- CE Mark (EU)
- VCCI (Japan)
- EAC (Russia)
- CCC (China)

Safety

- TÜV/CU Mark (Canada and US)
- TÜV/GS Mark (EU)
- CE Mark (EU)
- CB Scheme
- EAC
- CCC (China)

Power supply and consumption

- Auto-switching: 100–240 VAC
- 50/60 Hz, 3 Amps @100 VAC
- 1.5 Amps @240 VAC
- Maximum / typical power usage: 150 W / 50 W

* Free 30-day trial available

** Free trial in demo mode

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalised documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 0808 101 3484 or +44 (0)1246 298000 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DocBuilder, DocBuilder Pro, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrividu, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inkintensity, Inkware, Jetrion, the Jetrion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, Printcafe, PressVu, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, Printstream, Print to Win, Program, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.