

操作指南：准备和制作个性化明信片

功能概述

在数字打印环境下高效驱动复杂的可变数据印刷 (VDP) 作业需要一种灵活性，在应用程序之间灵活处理 VDP 作业，从而高效完成打印准备。

Fiery® Impose 可以为 VDP 作业提供与常规作业相同的排版功能，助您在打印时实现高效的一对一通信。借助 Fiery Impose，您可以实现各种 VDP 应用，包括小册子、明信片、优惠券、传单等等。

目标



- 拼版可变文档。
- 定义裁边标记预设。
- 预览 Fiery Impose 中的记录。

其他资源

有关其他软件的下载、培训资源和更多信息，请前往 [Fiery 联机资源](#)。

开始之前


- 打开 Fiery Command WorkStation® 6.4 或更高版本，并连接至少一台运行 Fiery System Fiery FS400/FS400 Pro 的 Fiery 服务器。
- 在运行 Command WorkStation 的计算机上激活 Fiery Impose 许可证。
- 若要申请 Fiery Impose 30 天免费试用，请前往：<http://fiery.efi.com/impose/freetrial30>。
- 将示例文件 **Manor_Mason_VDP_Postcard_PDFVT_20 rec.pdf** 放入 Fiery 服务器“保留”队列。将文件拖放到 Command WorkStation“保留”列表中，或使用 Command WorkStation“导入”菜单项。
- 确保打印机和 Fiery 服务器已在打印任何输出前校准。



拼版可变文档

1. 在 Command WorkStation“保留”列表中选择 **Manor_Mason_VDP_Postcard_PDFVT_20rec.pdf** 文件。然后单击右键选择 **Impose**。
2. 默认情况下，对可变数据作业进行拼版时，会将这些页面显示为线框预览。
3. 在“设置”窗格中，为产品目的选择“**多联拼版**”。
4. 在“多联拼版”下方，选择**多个记录逐份打印 > 左/右**。
5. 对于印张，选择 **8 1/2x11** 或 **A4**。
6. 对于双面，选择**开**。
7. 在“版面”区域设置下列选项：
 - a. 版面方向：**纵向**。
 - b. 行列：**2 x 1**。
 - c. 版面样式：**头对头**。
8. 在“标记”区域，单击**定义**。
9. 在“裁边”标签中设置下列选项：
 - a. 选中**打印裁边标记**复选框。
 - b. 水平和垂直长度：**0.25 英寸**或 **6.35 毫米**。
 - c. 描边类型：**实线**。
 - d. 描边宽度：**1/2 Pt**。
 - e. 描边颜色：**黑色**。
10. 单击“作业标签”标签，并设置以下选项：
 - a. 选中**打印作业标签**复选框。该操作将自动启用“作业名”、“印张信息”以及“日期和时间”。
 - b. 位置：**左下**。
 - c. 方向：**垂直**。

11. 选中**仅在正面打印**标记复选框，然后单击**确定**以关闭。
12. 单击**磁盘**图标将标记设定另存为预设，供将来使用。
13. 键入名称 **VDP 明信片**并单击**确定**进行确认。




查看 Fiery Impose 中的记录

1. 单击工具栏中的**切换印张内容**图标。Fiery Impose 将生成第一个记录范围 1-10 的缩略图。
2. 在“版面”区域，滚动浏览“设置”，展开前五个设置，以对结果进行预览。各设置表示两项记录的多联拼版输出。
3. 单击“模板”旁的**保存**图标，保存该新模板，供将来使用。
4. 输入模板的名称。这将方便您对其他类似的作业快速应用新版面。您还可以从作业属性、Hot Folders、虚拟打印机和 Fiery JobFlow 选择并使用此功能。完成后单击**确定**。
5. 保存并命名作业。单击**文件 > 保存**。
6. 输入作业名称。在此例中，键入**个性化明信片**。完成后单击**确定**。
7. 单击**文件 > 退出**或单击拐角的红色 **X** 关闭 Fiery Impose。
8. 新作业将保存在“保留”列表中，并可供打印。

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalized documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 650-357-3500 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DockNet, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, FabrIVU, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Navigator, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inktenzity, Inkware, LapNet, Logic, Metrix, MicroPress, MiniNet, Monarch, OneFlow, Pace, Pecas, Pecas Vision, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.