



Canon imagePRESS Server B6000 V2
Fiery FS400 PRO

Get higher productivity, profits, and image quality.

The Canon imagePRESS Server B6000 V2 for the Canon imagePRESS C10010VP/C9010VP lets you produce high-value complex jobs plus exceptional image and colour quality.

Maximise your productivity and profits

- Increase efficiency with automation benefits from the browser-based Fiery JobFlow™ Base software. Use easy-to-use workflows to perform essential job processing tasks such as image enhancement and imposition, to produce ready-to-print files quickly.
- Perform advanced document preparation with fewer clicks, and reduce waste with bundled Fiery Impose and Fiery Compose
- Offer value-added services with variable data printing capabilities. Use Fiery FreeForm™ Create to customise your output for a specific audience by varying text, photos, and graphics.

Impress customers with superior output

- Use Fiery® Edge to produce amazing colour with the smoothest colour blends, maximum shadow details, and superb image definition.
- Get the best out-of-the-box colour consistency and accuracy with powerful colour matching, profiling, and automated calibration. Use optional Fiery Color Profiler Suite and the Fiery Graphic Arts Pro Package to make advanced colour troubleshooting, preflight and proofing tasks quick and precise.



Canon imagePRESS B6000 V2 specifications

Fiery Driven™ engines

- Canon imagePRESS C10010VP/ C9010VP
- Supports all engine finishing devices

Hardware and platform

- Intel® Core™ i7-6700 (3.4 GHz up to 4.0 GHz w/Turbo)
- 16 GB RAM
- 1 TB SATA HDD
- Internal DVD-RW drive
- 6 USB 2.0 ports: 2 front, 4 rear
- Microsoft® Windows® 10 IoT Enterprise 2019 LTSC
- Fiery FS400 Pro software

Fiery color and imaging technology

- Fiery ColorWise® color management technology
- Fiery Edge™ color profiles
- Fiery Calibrator
- PANTONE® color enabled
- Fiery Image Enhance Visual Editor
- Fiery Spot-On™
- Auto trapping
- Image smoothing
- Image Enhance

Device management and analytics

- EFI IQ
 - EFI Insight
 - EFI Go

Productivity and workflow

- Fiery Command WorkStation®
- Fiery drivers for Windows and Mac®
- Fiery Impose-Compose
- Fiery WebTools™
- Booklet Maker
- Fiery Hot Folders/Virtual Printers
- Fiery JobFlow™ Base
- Direct mobile printing
- Fiery Go (Android® and iOS)
- Unity Display
- uniFLOW compatible

Variable data printing

- Supported file formats include Fiery FreeForm™ Plus, PPML v3.0, PDF/VT 1 and 2, VPS compatible
- Fiery FreeForm Create
- Record and set level finishing support
- VDP record range printing
- Optimized PostScript® and PDF
- Define record length
- VDP raster preview
- VDP Resource Manager

File format support

- Adobe® PostScript® Levels 1, 2, 3; Adobe PDF; PDF/X-1a, 3, and 4; EPS; JPEG, 1-bit TIFF, TIFF)
- Microsoft Office document formats: doc, docs, xls, xlsx, ppt, pptx, pub(via Hot Folders)

Performance

- Spool-RIP-print simultaneously
- Scan-RIP-print simultaneously
- Sequential Print

JDF/JMF support

- JDF v1.6 IDP-ICS certified
- EFI MIS and Web-to-Print integration ready
- Prepress workflow integration (Agfa® :Apogee, Kodak® PRINERGY, Heidelberg® Prinect)

Adobe interpreter support

- CPSI version 3020
- Adobe PDF Print Engine® 5 ***

Optional Fiery software and hardware

- Fiery Graphic Arts Pro Package*
- Fiery JobFlow™
- Fiery Color Profiler Suite **
- Fiery JobMaster™ *
- Removable hard disk drive kit
- Fiery NX Station GL/ LS

Security

- Secure erase
- Network protection includes:
 - 802.1x support, IP filtering, port blocking (filtering), SSL support (TLS), certificate management, self-signed certification
- Secure printing

Networking/Connectivity

- TCP/IP, AppleTalk, Bonjour support, SNMP, Port 9100, IPP, FTP, SMB, WSD, point and print, print via email (PS/PDF), IPv6 support

EMI/EMC

- FCC and ICES (US and Canada)
- CE Mark (EU)
- VCCI (Japan)
- RCM (Australia and New Zealand)
- CCC (China)
- BSMI (Taiwan)

Safety

- CB Scheme
- CE Mark (EU)
- TÜV/C-US Mark (US and Canada)
- TÜV/T-Mark (EU)
- CCC (China)

Power supply and consumption

- Auto-switching: 100–240 VAC
- 50/60 Hz, 6 Amps @100 VAC
- 3 Amps @240 VAC
- Maximum / typical power usage: 350 W / 100 W

Dimensions

- Server: 20.75" H x 9.25" W x 18.25" D
- Server weight 36.5 lbs (16.5 kg)

* Free 30-day trial available

** Free trial in demo mode

*** Updated with enhancements and service releases on an ongoing basis

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalized documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 0808 101 3484 or +44 (0)1246 298000 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DocBuilder, DocBuilder Pro, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrivu, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inkintensity, Inkware, Jetriion, the Jetriion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, Printcafe, PressVu, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, Printstream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.