

efi PrintSmith Vision™



Fiery® Integration Guide

PrintSmith Vision
Version 3.0
June / 2015

Copyright © 1997 - 2015 by Electronics for Imaging, Inc. All Rights Reserved.

EFI PrintSmith Vision | *Fiery Integration Guide*

July 2015 PrintSmith Vision 3.0

This publication is protected by copyright, and all rights are reserved. No part of it may be reproduced or transmitted in any form or by any means for any purpose without express prior written consent from Electronics for Imaging, Inc. Information in this document is subject to change without notice and does not represent a commitment on the part of Electronics for Imaging, Inc.

Patents

This product may be covered by one or more of the following U.S. Patents: 4,716,978, 4,828,056, 4,917,488, 4,941,038, 5,109,241, 5,170,182, 5,212,546, 5,260,878, 5,276,490, 5,278,599, 5,335,040, 5,343,311, 5,398,107, 5,424,754, 5,442,429, 5,459,560, 5,467,446, 5,506,946, 5,517,334, 5,537,516, 5,543,940, 5,553,200, 5,563,689, 5,565,960, 5,583,623, 5,596,416, 5,615,314, 5,619,624, 5,625,712, 5,640,228, 5,666,436, 5,745,657, 5,760,913, 5,799,232, 5,818,645, 5,835,788, 5,859,711, 5,867,179, 5,940,186, 5,959,867, 5,970,174, 5,982,937, 5,995,724, 6,002,795, 6,025,922, 6,035,103, 6,041,200, 6,065,041, 6,112,665, 6,116,707, 6,122,407, 6,134,018, 6,141,120, 6,166,821, 6,173,286, 6,185,335, 6,201,614, 6,215,562, 6,219,155, 6,219,659, 6,222,641, 6,224,048, 6,225,974, 6,226,419, 6,238,105, 6,239,895, 6,256,108, 6,269,190, 6,271,937, 6,278,901, 6,279,009, 6,289,122, 6,292,270, 6,299,063, 6,310,697, 6,321,133, 6,327,047, 6,327,050, 6,327,052, 6,330,071, 6,330,363, 6,331,899, 6,340,975, 6,341,017, 6,341,018, 6,341,307, 6,347,256, 6,348,978, 6,356,359, 6,366,918, 6,369,895, 6,381,036, 6,400,443, 6,429,949, 6,449,393, 6,476,927, 6,490,696, 6,501,565, 6,519,053, 6,539,323, 6,543,871, 6,546,364, 6,549,294, 6,549,300, 6,550,991, 6,552,815, 6,559,958, 6,572,293, 6,590,676, 6,606,165, 6,633,396, 6,636,326, 6,643,317, 6,647,149, 6,657,741, 6,662,199, 6,678,068, 6,707,563, 6,741,262, 6,748,471, 6,753,845, 6,757,436, 6,757,440, 6,778,700, 6,781,596, 6,816,276, 6,825,943, 6,832,865, 6,836,342, RE33,973, RE36,947, D341,131, D406,117, D416,550, D417,864, D419,185, D426,206, D439,851, D444,793.

Trademarks

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DocBuilder, DocBuilder Pro, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrividu, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inktensity, Inkware, Jetrion, the Jetrion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, Printstream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.

Contents

Introduction	5
Fiery JDF Technology	6
About the PrintSmith Vision and Fiery Integration	6
Requirements	6
About this Guide	6
Additional Sources	7
Contact Information	7
Setup	9
Overview	10
Before You Begin	10
About automatic media mapping and tolerances	10
Reviewing and adjusting media tolerances	10
Task 1: Add Fiery Devices and Auto-Map Media	11
Add a Fiery device by providing an IP address	11
Select a digital press	13
Select media types, manage media mapping, and finish the process	14
Add a Fiery device by searching for it	17
Task 2: Review and Edit Digital Definitions for Fiery Mapping	20
Managing Fiery Devices	21
Manually Mapping Individual Stocks	22
Workflow	23
Overview	24
Creating Jobs for Printing on a Fiery	24
Submitting Jobs to a Fiery Device	26
About virtual printers and job presets	26
Submitting jobs from the Job window	26
Submitting jobs from the Work in Progress window	28
Processing on the Fiery	29
If jobs are sent to the Held queue	29
If jobs are sent to the Print queue	31
Media mapping	31
What Is Sent Back to PrintSmith Vision	32
Index	33



Introduction

In this chapter

Fiery JDF Technology	6
About the PrintSmith Vision and Fiery Integration	6
Requirements	6
About this Guide	6
Additional Sources	7
Contact Information	7

Fiery JDF Technology

The integration between PrintSmith™ Vision and Fiery® takes advantage of Fiery JDF technology. JDF is an open standard technology that allows data to pass between different applications and systems to help automate the print production workflow. JDF simplifies data exchange and collection; eliminates manual data entry and re-entry; and makes print production faster, more efficient, and more accurate.

About the PrintSmith Vision and Fiery Integration

To take advantage of the PrintSmith Vision and Fiery integration, you must have a digital printer that supports Fiery JDF technology or you must have Fiery Central configured.

Fiery Central is a production printing solution. To optimize printing resources, you can manage the workloads on groups of print devices from a central console. Fiery Central can print jobs on both Fiery and non-Fiery printers

Notes Check the EFI Web site to find out if Fiery JDF technology is supported on your digital printer(s). It may be built-in or available as an update *at no extra cost*.

For simplicity, the term *Fiery device* is used both for a printer with Fiery JDF technology or Fiery Central in the rest of this guide.

When PrintSmith Vision is integrated with Fiery, the details (print production intent) for digital jobs entered in PrintSmith are translated to print processing instructions on a Fiery device. When a job is completed on the Fiery device, information is sent back to PrintSmith Vision to adjust stock inventories automatically and to provide information production counts. This automated workflow reduces errors, collects data you need to run your shop profitably, and helps you avoid spending more time entering and re-entering data about a job than producing the job.

Some initial configuration in PrintSmith Vision is required before jobs can be submitted to a Fiery device.

Requirements

- PrintSmith Vision 2.2 or higher
- One or more Fiery devices (printers with Fiery JDF technology, also called JDF-enabled)
- Fiery JDF version 1.3.0.22
- Fiery Command WorkStation® – a print job management interface for Fiery systems, available as a free download from the EFI Web site

About this Guide

This guide explains how to configure the PrintSmith Vision and Fiery integration and describes the workflow when you submit jobs to a Fiery device.

The guide assumes that:

- PrintSmith Vision is already installed and set up, and that you are familiar with the process of creating invoices and jobs.
 - Your Fiery device(s) and/or Fiery Central are set up and configured.
-

Additional Sources

For information about	See
Installing PrintSmith Vision and upgrading from PrintSmith 8.1	<i>PrintSmith Vision Installation and Upgrade Guide</i>
Setting up and using PrintSmith Vision	<i>PrintSmith Vision Setup and User Guide</i>
Integrated credit card processing in PrintSmith Vision	<i>PrintSmith Vision Secure Credit Card Processing Guide</i>
Using Tracker for shop floor data collection	<i>PrintSmith Vision Tracker User Guide</i>
Using Scheduler	<i>PrintSmith Vision Scheduler User Guide</i>
Using PrintSmith Site	<i>PrintSmith Vision and PrintSmith Site Integration Guide</i>
Using Digital StoreFront with PrintSmith Vision	<i>PrintSmith Vision and Digital StoreFront Integration Guide</i>

Contact Information

You can contact PrintSmith Vision Customer Support in any of the following ways.

Phone

North America

888.731.2618
 480.538.5800
 Monday - Friday 7 A.M. - 5 P.M. US Mountain Standard Time

UK

0800 783 2737
 Monday - Friday 8 A.M. - 5 P.M. UK Time

EMEA

+49 2102 745 4500
 Monday - Friday 9 A.M. - 6 P.M. Central European Time

Fax

480.538.5804 (North America)

E-Mail

printsmith.support@efi.com



Setup

In this chapter

Overview	10
Before You Begin	10
Task 1: Add Fiery Devices and Auto-Map Media	11
Task 2: Review and Edit Digital Definitions for Fiery Mapping	20
Managing Fiery Devices	21
Manually Mapping Individual Stocks	22

Overview

The process of configuring the Fiery integration involves these two tasks in PrintSmith Vision:

1. Use a wizard to step through the process of adding your Fiery devices and automatically mapping your PrintSmith Vision stock definitions to media in a Fiery paper catalog.
2. Make sure your digital definitions are mapped to the correct machine (Fiery device).

This chapter also provides information about managing your Fiery devices (for example, editing them) and about manually mapping media.

Before You Begin

Before you run the wizard to add a Fiery device, be aware of the following:

- If you want to add a Fiery device manually (instead of having the system search for it), you must know its IP address. For Fiery Central, you must also know the port number and group name.
- You will be asked to select the digital press associated with the Fiery. The digital press is the physical equipment defined in the Production Copiers table in PrintSmith Vision. In a digital press definition, the digital press is identified in the **Machine Name** field.
- The system will automatically try to map media. Review the information below in case you want to change some preferences related to media mapping before you run the wizard.

About automatic media mapping and tolerances

As part of the process of adding a Fiery device to PrintSmith Vision, the system automatically tries to map stock definitions in PrintSmith Vision to the media in the paper catalog on the Fiery device. When a match is found, the media is mapped.

To broaden the mapping possibilities, the system uses media tolerances. For example, a 1-inch tolerance for size means that Fiery media that is an inch smaller or larger than the PrintSmith stock definition can be mapped to the stock. If you have a stock in PrintSmith that is 17 x 22, and the system does not find an exact match in the paper catalog, it will look for the first instance of media within that 1-inch tolerance, for example, 16 x 21 or 18 x 23. Similarly, a 5% recycled percent tolerance will automatically map media with a 5% higher or lower recycled percentage.

PrintSmith Vision comes with some default media tolerances. Review and adjust them as necessary.

Reviewing and adjusting media tolerances

Note During automatic media mapping, if the system finds an exact match, the media is mapped; tolerance is ignored, even if it was specified. The tolerance is taken into account only if an exact match is not there. If you want auto-mapping to occur *only* for exact matches in both systems, set the tolerances to 0.

1. In PrintSmith Vision, click **Preferences** in the QuickAccess panel (or select **Admin > Preferences**).
2. Under **System**, select **Fiery Media**.
3. If necessary change the tolerance criteria (including unit of measure) that you want the system to use during auto media mapping.

Fiery Media			
Size :	<input type="text" value="1.00"/>	IN	
Recycled Percent :	<input type="text" value="5"/>	%	
Thickness :	<input type="text" value="50.0000"/>	Microns	▼
Weight :	<input type="text" value="5.0000"/>	GSM	▼

4. Click **Save** to save the your media tolerance preferences.

Note You can adjust these preferences at any time and then re-synchronize the media mapping while editing the device. See “Managing Fiery Devices” on page 21.

Task 1: Add Fiery Devices and Auto-Map Media


Start the wizard for adding and managing Fiery devices:

- In PrintSmith Vision, select **Admin > Fiery Integration**. The Manage Fiery Devices window opens.

The first step is to add your Fiery devices. You can either add a Fiery device by entering its IP address (see below) or you can add a device by having the system search for Fiery devices (see page 17).

Add a Fiery device by providing an IP address

1. If you know the IP address of your Fiery device, click **Add a Fiery Controller**.



2. In the next window, enter the IP address of the Fiery device .

For Fiery Central, enter the IP address, port number, and group name using the format shown at the top of the window.

3. Click **Next**.

Manage Fiery Devices

Please enter the IP address you want to connect. For connecting to Fiery Central devices please enter IP Address, Port Number and Group Name in the following format(10.210.37.3:8010/Group01).

IP ADDRESS

Cancel Back Next

Select a digital press

- In the Associate Digital Press window, select the digital press that is identified with the Fiery and click **Next**. (This is the physical equipment itself as defined in the Production Copiers table in PrintSmith Vision.)

Associate Digital Press

You should associate Digital Press Definition with your Fiery Device

Select a Digital Press For Fiery

Docutech ▼

Cancel Back Next

Select media types, manage media mapping, and finish the process

1. If you have many stock definitions in PrintSmith Vision (for example, imported from a vendor catalog), narrow down the mapping possibilities by selecting the check boxes of the types of stock you want to map and then clicking **Next**.

Select Media Types

Select media types which should be synchronized during media mapping with the Fiery controller media


- Envelope
- Sheet Stock
- Roll Stock
- Large Format
- Rigid Substrate

Cancel Back Next

After you click **Next**, the media mapping automatically takes place between the PrintSmith Vision stock definitions and media in the Fiery paper catalog.




2. A Media Mapping Completed window opens and informs you how many media were mapped. Click **Manage Mapping** to review what was mapped and to override the auto mapping or to manually map media if necessary.

3. Review the mapped media.





The **Fiery Media** column lists media in the paper catalog on the Fiery device; the **MIS Media** column lists the stocks in PrintSmith Vision that were mapped to the media in the Fiery paper catalog.

The media mapping window includes the following informational icons:


-  No mapping exists for the media.
-  The media was mapped automatically.
-  The media was mapped manually.


In addition, you can click  to display more information about the media.

4. If media was mapped automatically, click  to check the details and verify the media was mapped as you want.

5. If media was not mapped automatically, do one of the following:

- Click  next to the media to see its specifications in the Fiery paper catalog. Then see if there is a matching stock you can select in the **MIS Media** column.



- Click  next to the media and note its specifications in the Fiery paper catalog. Go back to your stock definitions in PrintSmith Vision and either create a matching stock or edit an existing stock. Alternatively, change your Fiery Media tolerance preferences (see page 10). Return to the media mapping window by editing the device (see “Managing Fiery Devices” on page 21) and click **Synchronize Media**. The old mapping is removed and the new media should now be mapped based on the newly added stock definitions and/or changed media tolerances.

Tips Always click **Synchronize Media** after you make a change in PrintSmith Vision that may affect mapping.

You can also map individual stocks manually. See page 22.

To un-map media, expand the drop-down list in the **MIS Media** column and press Home. This removes the mapping.

6. After you finish mapping media, click **Next**.

The final window is informational: it lists the virtual printers and job presets that are associated with the Fiery device. (These are defined on the Fiery itself.)

7. Scroll through the list to familiarize yourself with the virtual printers and job presets and then click **Finish**.


Note Virtual printers and job presets are defined on the Fiery itself. If nothing was defined, this information will not be displayed. For more information about virtual printers and job presets, see page 26.

Name	Type
ChandrakantVP	Virtual Printer
NVPV	Virtual Printer
UC1p4VirtualPrinter-Chandrakant	Virtual Printer
UC1p5VirtualPrinter-Chandrakant	Virtual Printer
Chandrakant	Job Preset
PresetII	Job Preset
PresetV	Job Preset
Preset_I	Job Preset
Presets_PSVL1-6	Job Preset
Presets_PSVL1-7	Job Preset

Paper Size: Letter	Color Mode: CMYK
Duplex: False	Fold Style: False
Media Type: Any	Collate: Collate
Page Range: All	Fiery Action: hold
Media Weight: Any	Staple: False
Orientation: False	Scale: 100
Media Color: Any	

Buttons: Cancel, Back, Finish

The Fiery device is now listed in the Manage Fiery Devices window.




Tip Any time you want to edit a device (for example, to map more media automatically), select **Admin > Fiery Integration**, select the device, and click **Edit**. For more information about managing devices, see page 21.

Add a Fiery device by searching for it

You can either automatically discover Fiery devices on your part (subnet) of the network or provide a range of IP addresses.

1. In the Manage Fiery Devices window (**Admin > Fiery Integration**), click **Search for Fiery Controllers**.



1. Do one of the following:

- To automatically discover Fiery devices on your part of the network (local subnet), leave **Auto Discovery** selected and click **Next**.
- To search a range of IP addresses, select **IP Address Range**, enter the IP addresses in the **From** and **To** fields, and click **Next**.

Note The search may take a few minutes.

The screenshot shows a window titled "Manage Fiery Devices" with a sub-header "Search For Fiery Controllers". Below the sub-header is a blue instruction bar: "Please select Auto Discovery or enter a specific IP range and click 'next' do a search for Fiery controllers within your Printshop network. This may take few minutes." The main content area contains two radio buttons: "Auto Discovery" (which is selected) and "IP Address Range". To the right of the "IP Address Range" radio button are two input fields labeled "From" and "To". At the bottom of the window are three buttons: "Cancel", "Back", and "Next".

The system lists the Fiery devices it found.

The top part of the window shows Fiery devices that are supported, meaning you can submit jobs to them.

The bottom part of the window shows Fiery devices that are not activated so cannot be used.

Supported Fiery Servers found in your network					
Server	IP Address	Model	Server Version	JDF Version	
Not activated Fiery Device found in your network					
Server	IP Address	Model	Server Version	JDF Version	
Phantom-1124	10.210.100.39:8010/Phantom-1124	EFI Phantom FS1	FS200	1.2.3.10	
Phantom-365B	10.210.100.163:8010/Phantom-365B	EFI Phantom FS1	FS200	1.2.3.10	
Phantom-56A9	10.210.100.105:8010/Phantom-56A9	EFI Phantom FS1	FS150	1.2.0.15	
Phantom-56AB	10.210.100.47:8010/Phantom-56AB	EFI Phantom FS1	FS200	1.2.3.10	

Cancel Back

- If supported devices were found, select the one you want to use and click **Next**. Then follow the steps beginning with "Select a digital press" on page 13.

If no supported devices are found, do one of the following:

- Enable (activate) one of the JDF devices listed in the bottom part of the window and then run the configuration wizard again (**Admin > Fiery Integration**).
- Make sure the IP range you specified (if any) was correct and try searching again.
- Try to add a Fiery device by specifying its IP address as described in "Add a Fiery device by providing an IP address" on page 11.

Task 2: Review and Edit Digital Definitions for Fiery Mapping

If you want to use a digital definition for printing jobs on a Fiery device, the digital definition must include a machine name that is mapped to a Fiery device. During the process of adding a Fiery, you selected a digital press, for example, a Docutech. The **Machine Name** field in a digital definition has the name of that digital press.

Review your digital definitions to ensure they include the correct machine name. For example, if your Fiery is associated with your Docutech, and you want jobs based on the digital definition for **Text 8.5 x 11 B&W Digital** to be printed on the Fiery, make sure the **Machine Name** field in the digital definition is set to Docutech.

Whenever this digital definition is then used in a job, after you submit the job, it will be routed to the Fiery device with all the necessary job information.

1. Click **Digital Definitions** in the QuickAccess panel (or select **Pricing > Digital Definitions**).
2. In the list at the top of the window, select the definition you want to review.
3. Make sure the **Machine Name** is set to the digital press associated with the Fiery.

Note If the digital press identified in the **Machine Name** field is associated with a Fiery, the **Fiery Device** check box is automatically selected and the Fiery device is identified. (If you change the Fiery device, the **Machine Name** will also change because they are linked – changing one automatically changes the other.)

The screenshot shows the 'Digital Definitions' window. At the top, there are icons for New, Save, Duplicate, Revert, and Delete. Below is a table of digital definitions:

Default	BW	Color	LF	Name
	<input checked="" type="radio"/>			Text 8.5 x 11 B&W Digital
	<input type="radio"/>			Text 8.5 x 14 B&W Digital
*	<input type="radio"/>			Text 11 x 17 B&W Digital
	<input type="radio"/>			Cover 8.5 x 11 B&W Digital
	<input type="radio"/>			Cover 8.5 x 14 B&W Digital
	<input type="radio"/>			Cover 11 x 17 B&W Digital
	<input type="radio"/>			Text 8.5 x 11 Color Digital

Below the table, the details for the selected definition 'Text 8.5 x 11 B&W Digital' are shown:


- Name:** Text 8.5 x 11 B&W Digital
- Machine Name:** Docutech (highlighted with a red box)
- Output Description:** digitally printed
- Production Location:** Running - Digital
- Cost Center:** Docutech
- Printer Type:** B&W Color Large Format
- Fiery Device:** FieryDemoiLab (highlighted with a red box)

4. Click **Save**.
5. Repeats steps 2 through 4 for each digital definition you want to use with a Fiery device.

Managing Fiery Devices

Once you have added a Fiery device, you can edit it or delete it if necessary. For example, you may want to edit a Fiery device to auto-map additional media.

1. Select **Admin > Fiery Integration**. The Manage Fiery Devices window opens.
2. Select (highlight) the device you want to edit or delete.



3. To edit the Fiery device, click **Edit**.

You will now be taken through the same steps (selecting a digital press, selecting media types, and mapping media) as when you added the Fiery. You can make changes at any point. For example, if you changed the Fiery media tolerance preferences (see page 10), you can return to the media mapping window and synchronize the media to see if more media was mapped.

4. To delete the Fiery device, click **Delete**.

Manually Mapping Individual Stocks

In addition to the automatic media mapping that the system performs when you add a Fiery device, individual stocks in PrintSmith can be mapped to a media in the paper catalog on a particular Fiery device. If you have multiple Fiery devices, you can quickly map the same stock to more than one Fiery.

1. Click **Stock Definitions** in the QuickAccess panel (or select **Pricing > Stock Definitions**).
2. In the Stock Picker window, select the stock you want to map to media in a Fiery catalog.
3. Click the **Fiery Paper Catalog** tab.

Stock Name	Product ID	Size	Color	Finish	Weight(GSM)	Weight(Pounds)
1xNoProductID		8.5" x 11"	White	UltraSmooth	105.0	
New JDF Media 1		8.26" x 11.69"	White		64.0	
AUSL105LEFColorG:	ManualLabSumaba	8.5" x 11"	Gray		105.0	
LetterTabHalfInch :	54P0995	9" x 11"	White	Smooth	103.0	
Envelope DL 100 gs	906594	4.33" x 8.67"	White	Smooth	100.0	
Spot	Spot	9" x 11"	White		176.0	
6TABSTOCK158LEF-	6TABSTOCK158LEFI	9" x 11"	White		158.0	
BUSLC105LEFSizeSI	BUSLC105LEFILab	8.44" x 11"	White		105.0	
9DA-Chandrakant	9DA4Chandrakant	8.26" x 11.69"	White		105.0	
A3220SEFCoated-C	A3SEFCoatedLab	11.69" x 16.54"	White		220.0	
A4SEF105-Chandra	A4SEF105ILab	8.26" x 11.69"	White		105.0	
9EA3-Chandrakant	9EA3Chandrakant	11.69" x 16.54"	White		106.0	
1USL105LEF-Chand	1USL105LEFILab	8.5" x 11"	White		105.0	
3TABLOID105SEF-I	3TABLOID105SEFIL	11" x 17"	White		105.0	
AUSL105LEFColorG:	AUSL105LEFManual	8.5" x 11"	Gray		105.0	
5USL905EF-Chandr	5USL905EFILab	8.5" x 11"	White		90.0	
7USLEXTRA105LEF-	7USLEtra105LEFIL	8.75" x 11.25"	White		105.0	
9BUSLC105LEFSize:	9BUSLC105LEFILab	8.44" x 11"	White		105.0	
8TABSTOCK176LEF-	8TABSTOCK176LEFI	9" x 11"	White		176.0	

4. Select the **Associate with item from Fiery Paper Catalog** check box.
5. Under **Fiery Device**, select the device on which you plan to use this stock.
6. Under **Paper Catalog**, select the media to which you want to map the PrintSmith Vision stock.
7. If you have multiple Fiery devices, repeat steps 5 and 6 to map the current stock definition to a stock in the paper catalog on a different Fiery device. (You can have different mappings on different devices.)
8. Click **Save** on the toolbar of the Stock Definitions window.

Workflow

In this chapter

Overview	24
Creating Jobs for Printing on a Fiery	24
Submitting Jobs to a Fiery Device	26
Processing on the Fiery	29
What Is Sent Back to PrintSmith Vision	32

Overview

Once setup is complete, you can start submitting jobs to your Fiery devices. What happens to submitted jobs depends on how you configured your Fiery device. Either all jobs are sent to the Held queue (recommended) and are reviewed by an operator in Command WorkStation before being printed or jobs are sent directly to the Print queue.

1. In PrintSmith Vision, create an invoice and a job for a digital printer that is integrated with a Fiery device.
2. From PrintSmith Vision, submit the job to the Fiery.
3. If jobs are sent to the Held queue, in Command WorkStation, review the job, make any necessary changes or corrections, and print the job.

If jobs are sent to the Print queue, and have no errors, they are printed right away. Otherwise, make any necessary corrections so the job can be printed.

4. After the job is printed, close the job. (The Fiery may be configured to close jobs automatically.)

Details of this workflow follow.

Tip If you use PrintSmith Site, and the web orders include jobs that meet certain criteria, they can be submitted directly to a Fiery device. A job must be based on a digital definition that is associated with a Fiery device, the stock must be mapped to media in the Fiery catalog, and a content file must be included.

Creating Jobs for Printing on a Fiery

The procedure that follows summarizes how to create a job in PrintSmith Vision for the Fiery. For details of creating invoices and jobs in PrintSmith, see the *PrintSmith Vision Setup and User Guide*. When you create jobs for a Fiery device, you must always provide a content file (what you want printed) as part of the job specification. In PrintSmith Vision, content files are also known as *digital assets*.

When you add a digital asset to a job, the system gives the file a unique name and stores it in the DigitalAssetsRepository folder where production staff can find it. The DigitalAssetsRepository folder is in the root folder where PrintSmith Vision is installed (for example, C:\ on a Windows computer if PrintSmith is installed on the C:\ drive).

1. Create an invoice and add a B&W or color job to it.
2. In the Job window, in the **Pricing Copier** field, be sure to select a digital definition that is associated with a Fiery device. (For information, see “Task 2: Review and Edit Digital Definitions for Fiery MappingTask 2: Review and Edit Digital Definitions for Fiery ” on page 20.)


The screenshot shows the 'Job' configuration window in PrintSmith Vision. The 'Description' field is set to 'Regular copies'. There are checkboxes for 'Customer Supplied Stock' and 'Special Order'. The 'Stock' field is '20# NCR Superior Black -Cut (C)' with a 'Change' button. The 'Color' is 'White'. The 'Parent', 'Run Size', 'Finish', and 'Folded Size' are all set to '8.5 x 11'. A diagram of a sheet of paper is shown with dimensions 8.5 and 11.0. At the bottom, the 'Pricing Copier' is set to 'Text 8.5 x 11 B&W Digital' and the 'Costing Copier' is 'Using Pricing Copier/Press'. A callout box points to the 'Pricing Copier' field with the text: 'This must be associated with a Fiery device.'

3. Provide the content file for the job:
 - a. Under **Commands** in the Job window, click **Digital Assets**.




The Digital Assets window opens.

- b. Click **Add** and select the file you want to print.



The **Repository Path** column shows the name of the file as it will be listed in the DigitalAssetsRepository folder.

- c. To review the file, select it and click **Show Preview**. (You can review files in PDF, JPG, and PNG format.)
 - d. Click **OK**. (The **Digital Assets** command is now displayed in green to indicate a content file was supplied.)



Important If you do not provide a content file, you will not be able to print the job on the Fiery (an unknown page count in Command WorkStation indicates a missing content file).

4. Click **Save** on the toolbar of the Job window and then save the invoice.

Note You cannot submit a job to a Fiery device if the job or invoice is not saved.

Submitting Jobs to a Fiery Device

You can submit jobs to a Fiery device in one of two ways:

- You can submit a single job directly from the Job window.
- You can submit several jobs at a time from the Work in Progress window. From this window you can also cancel a submitted job and see the status of all jobs that were submitted to Fiery devices.

Before you start submitting jobs, familiarize yourself with the virtual printers or job presets that may be available on the Fiery device you are using for a job.

About virtual printers and job presets

Virtual printers and job presets serve as shortcuts to increase productivity and take advantage of what your Fiery has to offer. A virtual printer or job preset is a predefined set of commonly used print options for configuring a print job. When virtual printers or job presets are defined for a Fiery device, they are automatically available for selection when jobs are submitted to the Fiery, which minimizes selections and clicks.

Virtual printers include a job action like “hold/print/delete” when a job reaches the Fiery while job presets are predefined templates of job properties that are typically placed in the Held queue only. You define virtual printers and job presets with Command WorkStation. Fiery Central supports just job presets whereas a Fiery server can have both virtual printers and job presets associated with it.

Note On some Fiery servers, virtual printers are an installable option that must be enabled.

When you are submitting a job to the Fiery:

- If you select a virtual printer or job preset for a job, the job is printed according to the job presets. Only the quantity and stock are sent to the Fiery device from PrintSmith Vision.
- If you do not select a virtual printer or job preset, information from the job in PrintSmith is sent to the Fiery device, but not all the job information may be used – only that which can be sent in JDF format, and which applies to the Fiery device. For example, business cards may be printed 1-up even if you specified 20-up.

Submitting jobs from the Job window

1. Open the invoice that includes the job you want to submit and then open the job. (Both the invoice and job must have been previously saved.)
2. Click **Submit** on the toolbar (or select **Submit to Fiery** under **Commands** in the left pane).

The screenshot shows the PrintSmith Vision Job window for job 1167. The window title is "1167: Job # 1: B&W". The toolbar contains several icons: Save, Cancel, Delete Job, Job Notes, Job Ticket, Carton Labels..., Production, and Submit. The Submit button is highlighted with a red box. Below the toolbar, there are checkboxes for "Brokered" (unchecked) and "Taxable" (checked), a "Tax Table" dropdown, a "Use Parent Tax Table" dropdown, a "Finished" checkbox (checked), a "Product" dropdown, a "Location" dropdown, and a "Type" dropdown set to "B&W". A "Comment:" field is present. Below the comment field, there is a table with columns "Charges", "Description", and "Ordered". The "Description" column contains "Standard Copies" and the "Ordered" column contains "250".

Charges	Description	Ordered
	Standard Copies	250

3. To use a virtual printer or job preset for the job:
 - a. Select the **Use a virtual printer** check box.
 - b. Select the virtual printer or job preset you want to use. Information about it is then displayed on the right as shown in the figure below. The job will be produced according to the characteristics of the virtual printer you select.
 - c. If you want the job printed on the stock you selected for the job instead of on the media defined on the virtual printer, leave the **Use media assigned to the job in PrintSmith instead of stock assigned to virtual printer** check box selected. (If this media is not recognized on the Fiery, you will need to map the media in Command WorkStation. See page 31.)
 - d. Click **OK**. After a few seconds you will get a message indicating the job was submitted. See “Processing on the Fiery” on page 29.

Fiery Device: Group01

Use a virtual printer

Select a Virtual Printer to use for this job

Name	Type
Group01UC1p7PresetDebug	Job Preset
Group1UC1p6Preset	Job Preset
Group1UC1p7Preset	Job Preset
ForGraphiSoftTest	Job Preset

Paper Size: Letter
 Duplex: LongEdge
 Media Type: Plain
 Page Range: All
 Media Weight:
 Orientation: EFOrientationDEF
 Media Color:

Color Mode: CMYK
 Fold Style: EFFoldDEF
 Collate: EFSortDEF
 Fiery Action:
 Staple: 1UpLeftS
 Scale: 100

Use media assigned to the job in PrintSmith instead of stock assigned to virtual printer

OK Cancel

4. If you do not want to use a virtual printer or job preset for the job, leave the **Use a virtual printer** check box cleared and click **OK**. After a few seconds you will get a message indicating the job was submitted. See “Processing on the Fiery” on page 29.

Fiery Device: Group01

Use a virtual printer

Select a Virtual Printer to use for this job

Name	Type
Group01UC1p7PresetDebug	Job Preset
Group1UC1p6Preset	Job Preset
Group1UC1p7Preset	Job Preset
ForGraphiSoftTest	Job Preset

Use media assigned to the job in PrintSmith instead of stock assigned to virtual printer

OK Cancel

Tip After you submit a job, the **Submit** button on the toolbar of the Job window changes to **Void Submitted Job**. Click this if you change your mind about printing the job. After the job is voided, the button changes back to **Submit**.



Submitting jobs from the Work in Progress window

1. Select **Reports > Work in Progress**.
2. In the **Report Type** field, select **Integrated Schedule**. The Work in Progress window now includes a **Fiery** pane.

The screenshot shows the 'Work in Progress' window. The 'Report Type' dropdown is set to 'Integrated Schedule' and 'Sort By' is 'Invoice number'. The 'Include' section has 'Invoices' and 'Estimates' checked. The 'Print Options' section has 'Print Screen' selected. The 'Options' section has 'Completed', 'On Hold', and 'Print Double Space' checked. The 'Fiery' pane is visible with 'Submit', 'Cancel', and 'Info' buttons. Below the options is a table of jobs.


Doc#/Job	Customer Name	Description	Submit Dat	Wanted by	Device ID	Location	Status	% Dor	Queue
1155 / 1	ALESI GLASS INDUSTRIES INC	Route Maps	6/8/2010	6/20/2010	IntegrationL	Running			
1161 / 1	Anna's Designs	Memo Pads [Person	10/12/2010	10/12/2010	IntegrationL				
1168 / 1	BP OIL	Flyer	7/27/2014	7/29/2014	polymath				
1170 / 1	EFI	Inside Pages	7/27/2014	7/29/2014	IntegrationL				
1175 / 1	NEON DESIGNS	B&W Copies	7/28/2014	8/4/2014	IntegrationL				
1182 / 1	Cactus Printing	B&W	11/10/2014	11/17/2014	IntegrationL				
1185 / 1	Cactus Printing	B&W copies	2/26/2015	2/26/2015	IntegrationL				
1187 / 1	JAY E FISHMAN MD	Special copies	2/26/2015	2/26/2015	IntegrationL				
1195 / 1	NEON DESIGNS	Agendas	3/5/2015	3/5/2015	IntegrationL				
1197 / 1	ORGANIC EXPRESS INC	Study Materials	3/5/2015	3/5/2015	IntegrationL				

3. (Optional) To sort the list of jobs differently, select a different criterion in the **Sort By** field.
4. Select the job you want to submit and click **Submit** in the **Fiery** pane.
5. Depending whether you are selecting a virtual printer or not, complete either step 3 or 4 as described in "Submitting jobs from the Job window" starting on page 26.
6. To cancel a job you submitted, select the job and click **Cancel** in the **Fiery** pane.

Status information is provided in the last three columns in the Work in Progress window:

Status	% Done	Queue
Ready	0	26
Waiting	0	31
Waiting	0	24

- To see some additional details of a submitted job, select it and click **Info** in the **Fiery** pane. In the figure below you can see the job is waiting to be processed.



Processing on the Fiery

What happens to jobs after you submit them from PrintSmith depends on how the Fiery is configured.

If jobs are sent to the Held queue


If the Fiery is configured so that jobs are sent to the Held queue (which is the recommended method), you must always review each job. For example, you may want to look at the job ticket or select media before printing the job.

- Start Command WorkStation.
- If any warnings are displayed for a job, make the necessary adjustments. A typical cause is unrecognized (unmapped) media. For information about mapping the media, see page 31.

Warning of issue with a job

Held (17)		Printed (8)		Archived (0)	
Job Title	Size	Pages/Copies	Job ID	Part ID	
JDF Blue Copies	0.1 MB	Un... 300	1168_1 (36256)	1168_1 (36256)	
JDF Standard Copies	0.1 MB	1 250	1167_1 (35896)	1167_1 (35896)	
JDF Color	0.1 MB	Un... 5600	186_5 (42947)	186_5 (42947)	


- If a job was submitted without a content file, the warning icon is displayed next to the job and **Unknown** is displayed next to **Pages** below **JDF Settings**. In this case, cancel the submitted job in PrintSmith, add a content file to the job, and re-submit the job.




- After correcting any problems, print the job. After it is printed, the job is listed on the **Printed** tab.

Held (15)		Printed (9)		Archived (0)	
Job Title	User	Size	Pages	Copies	
JDF Standard Copies	PrintSmit...	0.1 MB	1	250	

5. Depending how Command WorkStation is configured, jobs may close automatically or may need to be closed manually. Some shops may require some manual input even if jobs are closed automatically.
 - If jobs close automatically, right-click the finished job, select **JDF Settings**, and click the **Close Job** tab. Make sure the **Employee ID** is correct and, if necessary, change the **Actual Sheets** (although typically this is not needed since the number is calculated for you).



- If a mistake was made, such as the wrong stock was used for a job, click the **Job Info** tab in the JDF Settings window, enter a note in the **Comments** field to explain the problem, click **Add**, and then click **OK**. These comments will be included on the job ticket in PrintSmith Vision.



- If jobs require manual closing, right-click the job you want to close, select **JDF Settings**, and click the **Close Job** tab. Make sure the **Employee ID** is correct and, if necessary, change the **Actual Sheets** (although typically this is not needed since the number is calculated for you). Then click **Close Job** (in the bottom left of the window).


If jobs are sent to the Print queue

If the Fiery is configured so that jobs are automatically sent to the Print queue, they are printed right away if they have no errors. If errors are found, you must correct them and then print the job. Job closing is the same as described in step 5 of “If jobs are sent to the Held queue” above.


Media mapping

When a job is submitted from PrintSmith Vision, the Fiery checks whether the stock specified for the job is mapped to media in the paper catalog on the Fiery. If it is, that media is used. If no mapping exists, the Fiery attempts to map the specified stock to an entry in the paper catalog. If the mapping is successful, the media is used for any job that contains the same media definition. If the mapping fails, you can map the media manually to an item in the paper catalog.

1. If a job you submitted has a warning icon next to it, the most likely issue is unrecognized media that cannot be mapped based on the information that the Fiery received. To map the media, right-click the job and select **JDF Settings** or click **JDF Settings** on the right side of the window.



2. On the **Media** tab, in the **Map to Paper Catalog** field, select the media you want to use.



3. Click **OK**.

What Is Sent Back to PrintSmith Vision

The following information is sent back to PrintSmith Vision from the Fiery:

- The status of the job. This can be seen in the Work in Progress window.
 - After a job is closed, stock inventory in PrintSmith Vision is adjusted (if an inventoried stock was used).
 - After a job is closed, comments that were entered about the job in Command WorkStation (on the **Job Info** tab in the JDF Settings window) are included on the job ticket in PrintSmith.
 - Costing information in PrintSmith is adjusted based on the number of sheets used in the job. To see the actual vs. estimated costs, open the invoice and click **Costing** on the toolbar.
-

Index

- adding Fiery devices 11
- auto discovery 17
- automatic media mapping 10
- Command WorkStation 6, 29
- content files 24, 25, 29
- creating jobs for a Fiery device 24
- digital assets 25
- digital definitions, mapping to Fiery devices 20
- digital presses 10, 13, 20
- DigitalAssetsRepository folder 24
- editing Fiery devices 21
- Fiery Central 6, 12, 26
- Fiery devices
 - about 6
 - adding 11
 - and digital definitions 20
 - and machine names 20
 - auto discovery 17
 - editing 21
 - IP address 12
 - JDF technology 6
 - managing 21
 - searching for 17
- Fiery Media preferences 10
- Held queue 24, 29
- JDF technology 6
- job presets 26
- jobs
 - content files for 25
 - creating 24
 - Held queue 29
 - in Command Workstation 29
 - media for 31
 - Print queue 31
 - submitting to Fiery 26
- media
 - automatic mapping 10, 14
 - correcting mapping 16, 31
 - manual mapping 22
 - mapped 15
 - mapping tolerances 10
 - types 14
 - un-mapping 16
- paper catalog 15, 22, 31
- Print queue 24, 31
- PrintSmith Site 24
- PrintSmith Vision
 - and Fiery integration 6
 - support 7
- Production Copiers table 10, 13
- requirements 6
- stock, mapping to Fiery paper catalog 31
- submitting jobs to Fiery 26
- support 7
- tolerances, media mapping 10
- virtual printers 26
- Work in Progress window 28
- workflow 24