

EX-i 80 Print Server Powered by Fiery®

Need world-class colour with workflow tools that put you in command? Need easy access to essential applications such as security, accounting, mobile print and many others? The EX-i 80 Print Server Powered by Fiery® for the Versant™ 80 Press is the right choice.

Productivity starts with a fast RIP

The EX-i 80 Print Server enables you to print large and/or complex Microsoft® Office documents, PowerPoint® files and colour-critical PDFs accurately and quickly. It improves throughput and productivity by printing one page while processing subsequent pages, and by storing processed pages in memory before printing.



Simplify and streamline your workflow

Automate job submission and eliminate repetitive workflows for faster, error-free printing with Fiery® Hot Folders and Virtual Printers. Take advantage of commonly used Fiery® presets to save time when submitting jobs. With Fiery® technology, even novice users can perform complex jobs using the presets configured for the task.

Get the colour right

Produce precise, exact colour from all applications, platforms and formats with Fiery® ColorWise® colour management technology. Accurately match corporate, logo, brand and custom colours with Fiery® Spot-On™. Fiery® Ultra Smooth Gradients combines 10-bit architecture and special processing to deliver stunning, smooth gradients that will delight your customers by printing with the true appearance designers intended.

Turn up the impact with variable information

Customise your output to a specific audience with varying text, photos and graphics with the Fiery® FreeForm variable data printing capabilities.

Create professional printed materials quickly and easily

Produce professional materials in just three simple clicks with Fiery® VUE, a 3D “visual print application” that guides you through an interactive and intuitive workflow.

A secure production environment

Concerned about security? So are we. Your administrators will appreciate the EX-i 80 Print Server’s complete toolset covering all aspects of document and device security.

Print directly with Wi-Fi printing capability

Direct Mobile Printing for Apple® iOS® devices enables wireless printing simply and easily, at no extra cost. Users do not need any additional print drivers or software for printing. PrintMe® for Fiery® allows all users to upload or email documents to the PrintMe Cloud Service and release them to print from the printer control panel.



EX-i 80 Print Server Powered by Fiery®

Platform

- Fiery® FS150

Print Specification

- 1200 x 1200 dpi, 10-bit rendering resolution

Fiery® Utilities

- Command WorkStation® 5
- Fiery® WebTools™
- Fiery® FreeForm for Variable Data Printing
- Spot-On™ Colour
- Auto Trapping
- Hot Folders/Virtual Printers

Calibration

- ColourCal (standard, off the glass)
- ES-2000 available with Fiery® Colour Profiler Suite 4.0 Option
- Job-Based Calibration
- Calibration Guard

Document Management

- Spool-RIP-Print simultaneously
- Scan-RIP-Print simultaneously
- Fiery® Smart RIP
- Face-up and Face-down printing
- Fiery® Scan and Scan-to-Job templates
- Fiery® Driver 4.6 based booklet creation
- Booklet Maker 4.0
- Support for Xerox® Standard Accounting

Driver Certification

- WHQL Certified

Wireless Printing

- Direct Mobile Printing
- EFI™ PrintMe® Cloud Printing

Standard Colour Profiles

- GRACoL® 2006-Coated 1
- SWOP® 2006 Coated 3
- SWOP 2006 Coated 5
- DIC
- ISO-Coated (Fogra 39L)
- ISO-Uncoated (Fogra 29L)
- TOYO Offset-Coated 2.0
- Japan Colour 2011 Type 3

Fonts

- 138 Adobe fonts
- 81 PCL 6C (emulation) fonts

Security Features

- Secure Erase
- Scan to Mailbox
- SNMPv3
- IP Sec
- 802.1x
- SSL/TLS
- User Authentication
- IP Filtering/Port Blocking
- System Update
- IPv6

Options

- Fiery® Colour Profiler Suite 4.0 including ES-2000 spectrophotometer
- Fiery® Impose

Print Server [EX-i 80 Print Server Powered by Fiery®]

Item	Description
Type	Main unit built-in type
Storage Device	HDD : 500 GB
Memory Capacity	2 GB
Server Operating System	Linux®
Page Description Language	Adobe® PostScript® Level 1, 2, 3 PCL 6C (emulation)
Print Data Format	Adobe® Acrobat® 9.1; Adobe® Acrobat® X EPS, TIFF, Microsoft® Native Formats (doc/x, xls/x, pub/x, ppt/x) via Fiery Hot folders
Print Driver Supported Operating System	Windows Server® 2003 (32bit), Windows Vista® (32bit) Windows Server® 2008 (32bit), Windows® 7 (32bit), Windows® 8 (32bit) Windows® 8.1 (32bit), Windows Server® 2003 (64bit), Windows Vista® (64bit) Windows Server® 2008 (64bit), Windows® 7 (64bit) Windows Server® 2008 R2 (64bit), Windows® 8 (64bit) Windows Server® 2012 (64bit), Windows Server® 2012 R2 (64bit) Windows® 8.1 (64bit), Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion OS X 10.8 Mountain Lion, OS X 10.9 Mavericks

Item	Description
Interface	Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T 4 USB ports
Network Protocol	TCP/IP, IPP, LPR/LPD, Port 9100, SMB Print Sharing (over TCP/IP), FTP printing, Print via Email, Bonjour
Power Supply*1	AC 100-240 V, 3 A, 50 / 60 Hz common
Maximum Power Consumption	300 W or less

*1: Integrated Fiery server power is not supplied by the engine.

Note: The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Singapore Pte Ltd

80 Anson Road, #01-01, Fuji Xerox Towers Singapore 079907

Tel. 6766 8888

<http://www.fujixerox.com.sg/>

