




Mezzera BLEACHING

Bleaching Line for Open Width
Woven and Knitted Fabric

With the bleaching line,
the fabric is ready for
dyeing or printing



Bleaching




PREPARATION: THE BACKBONE OF THE DYEHOUSE

The fabric preparation for dyeing, printing or full white goods is the pillar supporting the entire dyehouse. This is the first and most important step of all processing: total performance and absolute reliability are required by the customers, as well as enough versatility to cope with the changes in articles, fashion, production style. Mezzera technology gives the customer a wide range of possibilities, tailoring the preparation range according to their individual specifications.

THE BASIC OF CELLULOSE BLEACHING

The symmetrical molecule of hydrogen peroxide $\text{H}-\text{O}-\text{O}-\text{H}$ is activated by the addition of caustic soda, which causes heterolytic splitting with formation of the peroxy-anion $-\text{O}_2\text{H}$ responsible for bleaching: the peroxy-anion, when suitable chemicals are added in the recipe, mainly reacts with cellulose and provides for the oxidation of the natural dyes in the cotton.




SINGLE STEP OR DOUBLE STEP SCOURING AND BLEACHING

The continuous desizing, scouring and bleaching process allows to remove the size, to degrade the waxes and natural fats which are contained in the natural cotton (scouring or alkaline boiling), and to oxidize the chromophores molecules. Mezzera technology is tailored according to customer specifications: scouring and bleaching may be achieved either in single or double steps.

HWT AND ACTIVA DESIZE PRE - WASH

The pre-wash section is essential to get a perfect hydrophilicity of the fabric before the impregnation with the scouring and bleaching chemicals. The fabric enters the scouring and bleaching range after pad batch desizing. A strong washing action has to take place in the very first compartment where normally is used the washing tank HWT, because of its strong washing effect. The strong mechanical action jointed with the high temperature is ideal for desize the fabric dipply. Following, using the high efficiency washing tank ACTIVA, we rinse perfectly the fabric before the wet-on-wet impregnation.



HWT and ACTIVA: washing after desizing



ACTIV-SAT WET ON WET HIGH-EFFICIENCY IMPREGNATION

The impregnation section is the heart of the machine. After a high squeezing the fabric enters the ACTIV SAT wet on a wet saturator, where the chemical products are added.


ACTIVE SAT respects the following fundamental parameters:

- high and uniform bath application on the fabric
- high interchange from bath and fabric
- low bleaching liquor volume
- precise dosing system of the chemical products

Chemical station of a scouring and bleaching range with individual chemical products dosing in cc/kg



Activ Sat: intimate contact between fabric and liquor



Inlet outlet section PERFECT STEAM

ACTIV-STEAM - THE STEAMING SECTION


The chemical reactions take place in the PERFECT-STEAM steamer. The steamer is modular and may be assembled to satisfy all production speeds. After a tight strand initial part to properly and uniformly heat up the fabric, this is plaited on a roller bed and brought until the end at the speed appropriate for the chemical reaction to take place: the residence time may be varied at the customer's choice. In the ACTIV-STEAM steamer, the saturated steam is internally generated on a water bed embedded into the steamer itself,

by injecting live steam into the water bed. The steam rises and reaches the roof of the steamer, after which gradually stratifies downwards, filling the whole steamer volume. Special drop collectors heated by the coil of superheated steam are placed on the roof to avoid condensation and dripping of drops over the fabric. A temperature probe is installed in the lower point of the steamer for monitoring and controlling the temperature inside the chamber.



Bleaching

THE ACTIV – SAT DESIGN PRIVILEGES BATH—FABRIC INTERCHANGE




Application phase: the saturator liquor and infeed pick-up water are initially separated

Start of interchange


The interchange phase continues: the liquor starts the diffusion inside the fabric

Most of the bath has replaced the infeed pick up water







WOVEN FABRIC SOLUTIONS




Singeing, impregnation and dwelling for desizing



One steamer scouring and bleaching




Two steamers scouring and bleaching



Singeing, on-line desizing, scouring and bleaching

WOVEN AND KNITTED FABRIC SOLUTIONS



Demineralizing, scouring and bleaching range for knitted fabrics



Let's be brilliant. Together.

We understand you want breakthrough technologies to lead you through your digital journey. That's why we're passionate about driving your business growth with a scalable portfolio of products, solutions, services, support, and world-class partnerships for the manufacturing of signage, packaging, textiles, ceramic tiles, and building materials with a wide range of printers and inks. Our unwavering commitment is to increase your profits, cut costs, improve productivity, and optimise efficiency — job after job, year after year. We're obsessed with your success. And we definitely believe we have the right people, technology and experience to help your business achieve its goals. Visit www.efi.com/reggiani or call +39 035 3844511 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

AutoCal, Best Eye, ColorGuard, ColorPASS, ColorRight, ColorWise, Command WorkStation, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Divisional Graphics, Distancing Graphics, DocBuilder, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, FabriVU, Fast-4, FASTRIP, FASTDRIVE, Fiery, the Fiery logo, Fiery Compose, Fiery Driven, the Fiery Driven logo, Fiery Edge, Fiery Essential, Fiery HyperRIP, Fiery Impose, Fiery Impress, Fiery ImageViewer, Fiery Intensify, Fiery JobExpert, Fiery JobFlow, Fiery JobMaster, Fiery Navigator, Fiery Prep-it, Fiery Prints, the Fiery Prints logo, Fiery TrueBrand, FreeForm, Inkintensity, Inkware, IQ, MicroPress, OneFlow, PressVu, PrintMe, the PrintMe logo, Prograph, ProGraphics, RIPChips, RIP-While-Print, SafeGuard Graphics, Spot-On, Spot Pro, UltraDrop, UltraPress, UltraTex, UltraVu, UV Series 50, VUTEk, the VUTEk logo, and WebTools are trademarks or registered trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners and are hereby acknowledged.