

EFI Reggiani TERRA pigment for a green, fast, and competitive textile process



EFI⁻⁻ Reggiani binder technology delivers an environmentally friendly and short process. The inline polymerization guarantees less water, less energy, and less processing time, no washing and no steaming needed.

Plus, excellent fastness properties and high printability sharpness allow you to print even the finest designs on the widest range of fabrics.

PREPARATION

PRINTING AND INLINE POLYMERIZATION



Integrated solution

- Strongest worldwide experience and knowledge
- Full technological support provided by EFI Reggiani
- · Continuous quality control
- 12-month warranty on the printheads provided by EFI Reggiani

Technical information

- Substrates
- Cotton, cotton-poly blends*
- Printhead compatibility
- Kyocera KJ4B
- Recommended RH
- 50%-60%

- Shelf life
- 12 months if stored under recommended conditions
- Environmental conditions
- Inks must be stored out of direct sunlight and away from heat sources

EFI Reggiani TERRA inks are available in the following colors:



Application

• Wide range of applications such as fashion, home textile, and accessories

Procedure

- · Padding with TERRA preparation
- Printing and curing in line

EFI Reggiani TERRA preparation

Choose the option that best fits your need:

- 1. EFI Reggiani TERRA PRIMER to improve printing definition
- 2. EFI Reggiani TERRA PLUS to increase color intensity
- 3. EFI Reggiani TERRA FIX to raise fastness results to customize your recipe
- 4. EFI Reggiani TERRA PREP IN-ONE for easy-to-use applications



^{*}Due to the wide variety of fabric composition and structure, EFI Reggiani recommends testing the fabric to verify the performance.

Fastness properties

*Certified by Centro Tessile Serico Spa Consortile, Como, Italy
Test made on CMYK sample printed on Popeline cotton with 1200 dpi, fixed in line 320°F (160°C) for 3 minutes.

600 dpi Color	Light Fastness 100%, 50%, 10% ISO 105-B02	Washing 140°F (60°C) ISO 105-C06	Water ISO 105-E01	Perspiration Acid ISO 105-E04	Perspiration Alkaline ISO 105-E04	Crocking Fastness Dry ISO 105-X12	Crocking Fastness Wet ISO 105-X12
Black	6–7	4–5	4–5	4–5	4-5	4–5	3–4
Cyan	6–7	4–5	4–5	4-5	4-5	3	3–4
Magenta	6–7	4–5	4–5	4-5	4-5	3–4	3–4
Yellow	6–7	4–5	4–5	4-5	4-5	4	4
Red	6–7	4–5	4–5	4-5	4-5	3–4	3–4
Blue	6–7	4–5	4–5	4-5	4-5	4–5	3–4
Green	6	4–5	4–5	4–5	4–5	4	4
Orange	4	4–5	4–5	4–5	4–5	4-5	3-4

1200 dpi Color	Light Fastness 100%, 50%, 10% ISO 105-B02	Washing 140°F (60°C) ISO 105-C06	Water ISO 105-E01	Perspiration Acid ISO 105-E04	Perspiration Alkaline ISO 105-E04	Crocking Fastness Dry ISO 105-X12	Crocking Fastness Wet ISO 105-X12
Black	6–7	4–5	4–5	4–5	4-5	4–5	2–3
Cyan	6–7	4–5	4–5	4-5	4-5	3–4	3
Magenta	6–7	4–5	4–5	4-5	4-5	3	3–4
Yellow	6–7	4–5	4–5	4-5	4-5	3–4	3–4
Red	6–7	4–5	4–5	4-5	4-5	3	3
Blue	6–7	4–5	4–5	4-5	4-5	4	3
Green	6	4–5	4–5	4–5	4–5	3–4	3–4
Orange	4–5	4–5	4–5	4–5	4–5	4-5	2-3

Please note that ink performances can vary according to the type substrate used in the final application.



E1SM1RUN8 Centexbel
Textile and leather chemicals. Tested and verified.
www.oeko-tex.com/ecopass

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalized documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 650-357-3500 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

Auto-Cal, Auto-Count, Best Eye, ColorGuard, ColorPASS, ColorRight, ColorWise, Command WorkStation, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, Digital StoreFront, DocBuilder, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, FabriVU, Fast-4, FASTTRIP, FASTDRIVE, Fierry, the Fiery logo, Fiery Doriven, the Fiery Divien logo, Fiery DesignPro, Fiery Elegy, Fiery ImageViewer, Fiery Intensify, Fiery JobExpert, Fiery JobFlow, Fiery JobFlow, Fiery JobMaster, Fiery Navigator, Fiery Prints, the Fiery Prints logo, FreeForm, GameSys, Hagen, Inktensity, Inkware, IQ, (Quote, LapNet, Lector, Logic, MarketDirect StoreFront, MarketDirect VDP, MarketDirect Cross Media, Metrics, Metrix, MicroPress, Monarch, Monarch Planner, OneFlow, Optima, Optitex, Organizing Print, Pace, Pecas, Pecas Vision, PC-Topp, PressVu, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Vision, PrintStream, Profile, Process Shipper, Prograph, PSI, PSI Flexo, Radius, RIPChips, RIP-While-Print, Spot-On, Spot Pro, Synchro 7, Technique, UltraPress, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks or registered trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.